SYMBOLOGY CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM									
CHANGE PROPOSAL NUMBER MIL00-39A									
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION						
PM FATDS	PM FATDS ARMY August 6, 2001 July 24, 200								
	CHANGE PROPOSAL TITLE								
ADD NEW SYMBOL, TARGET BUILD-UP AREA (TBA), CIRCULAR									
SUGGESTED CHANGE									

The Fire Support community has a requirement to add a new symbol to MIL-STD-2525B.

- 1. The purpose of the Target Build-up Area, Circular symbol is to graphically display Target Build-up Areas, Circular to commanders in the Common Operational Picture (COP)/Common Tactical Picture (CTP).
- 2. Recommend adding to hierarchy item 2.X.4, Fire Support, under the "Areas" hierarchy, 2.X.4.3, figure B-17, and table B-IV.

OVERVIEW:

Currently, the standard does not contain a symbol depicting Target Build-up Area (TBA), Circular. The purpose of the Target Build-up Area, Circular symbol is to graphically display to commanders and operators the geometry used in the fire support system that prohibits the fire support engagement of a specific target type within a designated area until the number of targets reach the specified threshold established for that target type. Incorporation into MIL STD 2525B, which will be used in JMTK and GSD, will allow the symbols to be transmitted/received by all battlefield system. The Target Build-up Area, Circular is a required symbol for use in the COP/CTP to be shared across the battlefield. The development of the COP/CTP is required of all ABCS component systems. Fire Support systems are the producer of Target Build-up Area, Circular for the COP/CTP. Fire Support systems will retain this capability for fielding throughout the Army and USMC.

OPERATIONAL DESCRIPTION

In general, the Target Build-up Area, Circular symbol is used in the fire support system to designate an area that prohibits the fire support engagement of a specific target type until the number of targets reach the specified threshold (e.g., 15 tank targets) established for that type. One (1) point location and a radius defined in meters are required to graphically display a Target Build-up Area, Circular. The minimum information required to interoperate with another system is defined below.

IMPLEMENTATION

Description: Fire Support, Areas, Target Acquisition Zones, Target Build-up Area (TBA), Circular

Parameters:

- 1. Anchor Points. This graphic requires one (1) anchor point and a radius. Point 1 defines the center point of the graphic.
- 2. Size/Shape. Size: The radius, defined in meters, defines the size. Shape: Circle. The information fields should be scaleable within the circle.
- 3. Orientation. Not applicable.

Fixed/Dynamic: Dynamic

Hierarchy: 2.X.4.3.3.8.3

Symbol ID: G*F*AZBC--***X

SYMBOLOGY CONFIGURATION MANAGEMENT											
CHANGE PROPOSAL FORM											
CHANGE PROP	OSAL NUMBER	MIL0	0-39A								
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION								
PM FATDS	ARMY	August 6, 2001	July 24, 2003								
CHANGE PROPOSAL TITLE											
ADD NE	CULAR										
Tactical Graphic: TBA TANK TANK TANK Example: TBA TANK											
JIEO ANALYSIS											
See JIEO ANALYSIS MIL00-39A.doc											
C/S/A COMMENTS											
	DECISION NOTICE										
Approved at SSMC 2-03.											

Tasks:

1. Modify Figure B-17 to reflect new hierarchy structure (Figure B-17 becomes Figures B-17.1 and B-17.2) and addition of new Fire Support graphics.




Figure B-17.1. Fire Support.




Figure B-17.2. Fire support.

2. Modify Table B-III to reflect restructured hierarchy numbers, provide new symbol IDs for restructured graphics and addition of new graphics' hierarchy numbers and symbol IDs.

HIERARCHY	CODE SCHEME	AFFILIATION	CATEGORY	STATUS		FUNCTION ID	SIZE/MOBILITY	COUNTRY CODE	ORDER OF BATTLE	DESCRIPTION		
									LE			
2.X.4	G	*	F	*			 **	**	Х	FIRE SUPPORT		
2.X.4.1	G	*	F	*	P-		 **	**	Х	POINT		
2.X.4.1.1	G	*	F	*	PT		 **	**	Χ	TARGET		
2.X.4.1.1.1	G	*	F	*	PT	S-	 **	**	Χ	POINT/SINGLE TARGET		
2.X.4.1.1.2	G	*	F	*	PT	N-	 **	**	Х	NUCLEAR TARGET		
2.X.4.1.2	G	*	F	*	PC		 **	**	Х	COMMAND AND CONTROL		
2.X.4.1.2.1	G	*	F	*	PC	F-	 **	**	Χ	FIRE SUPPORT STATION		
2.X.4.1.2.2	G	*	F	*	PC	S-	 **	**	Χ	SURVEY CONTROL POINT (SCP)		
2.X.4.1.2.3	G	*	F	*	PC	B-	 **	**	Χ	FIRING POINT		
2.X.4.1.2.4	G	*	F	*	PC	R-	 **	**	Χ	RELOAD POINT		
2.X.4.1.2.5	G	*	F	*	PC	H-	 **	**	Χ	HIDE POINT		
2.X.4.1.2.6	G	*	F	*	PC	L-	 **	**	Χ	LAUNCH POINT		
2.X.4.2	G	*	F	*	L-		 **	**	Χ	LINES		
2.X.4.2.1	G	*	F	*	LT		 **	**	Χ	LINEAR TARGET		
2.X.4.2.1.1	G	*	F	*	LT	S-	 **	**	Χ	LINEAR SMOKE TARGET		
2.X.4.2.1.2	G	*	F	*	LT	F-	 **	**	Χ	FINAL PROTECTIVE FIRE (FPF)		
2.X.4.2.2	G	*	F	*	LC		 **	**	Χ	COMMANDAND CONTROL		
2.X.4.2.2.1	G	*	F	*	LC	F-	 **	**	Χ	FIRE SUPPORT COORDINATION LINE (FSCL)		
2.X.4.2.2.2	G	*	F	*	LC	C-	 **	**	Χ	COORDINATED FIRE LINE (CFL)		
2.X.4.2.2.3	G	*	F	*	LC	N-	 **	**	Χ	NO-FIRE LINE (NFL)		
2.X.4.2.2.4	G	*	F	*	LC	R-	 **	**	Χ	RESTRICTIVE FIRE LINE (RFL)		
2.X.4.3	G	*	F	*	A-		 **	**	Χ	AREAS		
2.X.4.3.1	G	*	F	*	AT		 **	**	Χ	AREA TARGET		
2.X.4.3.1.1	G	*	F	*	AT	C-	 **	**	Χ	CIRCULAR TARGET		
2.X.4.3.1.2	G	*	F	*	AT	R-	 **	**	Χ	RECTANGULAR TARGET		
2.X.4.3.1.3	G	*	F	*	ΑT	G-	 **	**	Х	SERIES OR GROUP OF TARGETS		
2.X.4.3.1.4	G	*	F	*	AT	S-	 **	**	Χ	SMOKE		
2.X.4.3.1.5	G	*	F	*	ΑT	B-	 **	**	Χ	BOMB AREA		
2.X.4.3.2	G	*	F	*	AC		 **	**	Χ	COMMAND AND CONTROL		
2.X.4.3.2.1	G	*	F	*	AC	S-	 **	**	Χ	FIRE SUPPORT AREA (FSA)		
2.X.4.3.2.1.1	G	*	F	*	AC	SI	 **	**	Χ	FIRE SUPPORT AREA (FSA), IRREGULAR		
2.X.4.3.2.1.2	G	*	F	*	AC	SR	 **	**	Χ	FIRE SUPPORT AREA (FSA), RECTANGULAR		
2.X.4.3.2.1.3	G	*	F	*	AC	SC	 **	**	Χ	FIRE SUPPORT AREA (FSA), CIRCULAR		
2.X.4.3.2.2	G	*	F	*	AC	A-	 **	**	Χ	AIRSPACE COORDINATION AREA (ACA)		
2.X.4.3.2.2.1	G	*	F	*	AC	Al	 **	**	Х	AIRSPACE COORDINATION AREA (ACA), IRREGULAR		
2.X.4.3.2.2.2	G	*	F	*	AC	AR	 **	**	Х	AIRSPACE COORDINATION AREA (ACA), RECTANGULAR		
2.X.4.3.2.2.3	G	*	F	*	AC	AC	 **	**	Х	AIRSPACE COORDINATION AREA (ACA), CIRCULAR		
2.X.4.3.2.3	G	*	F	*	AC	F-	 **	**	Χ	FREE FIRE AREA (FFA)		
2.X.4.3.2.3.1	Ğ	*	F	*	AC	FI	 **	**	Х	FREE FIRE AREA (FFA), IRREGULAR		
2.X.4.3.2.3.2	G	*	F	*	AC	FR	 **	**	Х	FREE FIRE AREA (FFA), RECTANGULAR		
2.X.4.3.2.3.3	G	*	F	*	AC	FC	 **	**	X	FREE FIRE AREA (FFA), CIRCULAR		
2.X.4.3.2.4	G	*	F	*	AC	N-	 **	**	X	NO-FIRE AREA (NFA)		
2.X.4.3.2.4.1	G	*	F	*	AC	NI	 **	**	X	NO-FIRE AREA (NFA), IRREGULAR		
2.X.4.3.2.4.2	G	*	F	*	AC	NR	 **	**	X	NO-FIRE AREA (NFA), RECTANGULAR		
2.X.4.3.2.4.3	G	*	F	*	AC	NC	 **	**	X	NO-FIRE AREA (NFA), CIRCULAR		
	<u> </u>		<u>ٺ</u>						<u> </u>			

HIERARCHY	CODE SCHEME	AFFILIATION	CATEGORY	STATUS		FUNCTION ID		SIZE/MOBILITY	COUNTRY CODE	ORDER OF BATTLE	DESCRIPTION	
2.X.4.3.2.5	G	*	F	*	AC	R-		**	**	Χ	RESTRICTIVE FIRE AREA (RFA)	
2.X.4.3.2.5.1	G	*	F	*	AC	RI		**	**	Χ	RESTRICTIVE FIRE AREA (RFA), IRREGULAR	
2.X.4.3.2.5.2	G	*	F	*	AC	RR		**	**	Х	RESTRICTIVE FIRE AREA (RFA), RECTANGULAR	
2.X.4.3.2.5.3	G	*	F	*	AC	RC		**	**	Х	RESTRICTIVE FIRE AREA (RFA), CIRCULAR	
2.X.4.3.2.6	G	*	F	*	AC	P-		**	**	Х	POSITION AREA FOR ARTILLERY (PAA)	
2.X.4.3.2.6.1	G	*	F	*	AC	PI		**		Х	POSITION AREA FOR ARTILLERY (PAA), IRREGULAR	
2.X.4.3.2.6.2	G	*	F	*	AC	PC		**	**	Х	POSITION AREA FOR ARTILLERY (PAA), CIRCULAR	
2.X.4.3.3	G	*	F	*	AZ			**	**	Х	TARGET ACQUISITION ZONES	
2.X.4.3.3.1	G	*	F	*	AZ	I-		**	**	X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE	
2.X.4.3.3.1.1	G	*	F	*	AZ	II		**	**	Х	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, IRREGULAR	
2.X.4.3.3.1.2	G	*	F	*	AZ	IR		**	**	Х	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, RECTANGULAR	
2.X.4.3.3.1.3	G	*	F	*	AZ	IC		**	**	Х	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, CIRCULAR	
2.X.4.3.3.2	G	*	F	*	AZ	X-		**	**	Х	CALL FOR FIRE ZONE (CFFZ)	
2.X.4.3.3.2.1	G	*	F	*	AZ	XI		**	**	X	CALL FOR FIRE ZONE (CFFZ), IRREGULAR	
2.X.4.3.3.2.2	G	*	F	*	AZ	XR		**	**	Х	CALL FOR FIRE ZONE (CFFZ), RECTANGULAR	
2.X.4.3.3.2.3	G	*	F	*	AZ	XC		**	**	Х	CALL FOR FIRE ZONE (CFFZ), CIRCULAR	
2.X.4.3.3.3	G	*	F	*	AZ	S-		**	**	Х	SENSOR ZONE	
2.X.4.3.3.3.1	G	*	F	*	ΑZ	SI		**	**	Х	SENSOR ZONE, IRREGULAR	
2.X.4.3.3.3.2	G	*	F	*	ΑZ	SR		**	**	Х	SENSOR ZONE, RECTANGULAR	
2.X.4.3.3.3.3	G	*	F	*	ΑZ	SC		**	**	Х	SENSOR ZONE, CIRCULAR	
2.X.4.3.3.4	G	*	F	*	ΑZ	C-		**	**	Х	CENSOR ZONE	
2.X.4.3.3.4.1	G	*	F	*	ΑZ	CI		**	**	Χ	CENSOR ZONE, IRREGULAR	
2.X.4.3.3.4.2	G	*	F	*	AZ	CR		**	**	Х	CENSOR ZONE, RECTANGULAR	
2.X.4.3.3.4.3	G	*	F	*	ΑZ	CC		**	**	Х	CENSOR ZONE, CIRCULAR	
2.X.4.3.3.5	G	*	F	*	AZ	D-		**	**	Χ	DEAD SPACE AREA (DA)	
2.X.4.3.3.5.1	G	*	F	*	AZ	DI		**	**	Χ	DEAD SPACE AREA (DA), IRREGULAR	
2.X.4.3.3.5.2	G		F	*	AZ	DR		**	**		DEAD SPACE AREA (DA), RECTANGULAR	
2.X.4.3.3.5.3	G	*	F	*	ΑZ	DC		**	**	Х	DEAD SPACE AREA (DA), CIRCULAR	
2.X.4.3.3.6	G	*	F	*	AZ	F-		**	**	Х	CRITICAL FRIENDLY ZONE (CFZ)	
2.X.4.3.3.6.1	G	*	F	*	AZ	FI		**	**	X	CRITICAL FRIENDLY ZONE (CFZ), IRREGULAR	
2.X.4.3.3.6.2	G	*	F	*	AZ	FR		**	**	Х	CRITICAL FRIENDLY ZONE (CFZ), RECTANGULAR	
2.X.4.3.3.6.3	G	*	F	*	AZ	FC		**	**	X	CRITICAL FRIENDLY ZONE (CFZ), CIRCULAR	
2.X.4.3.3.7	G	*	F	*	AZ	Z-		**	**	X	ZONE OF RESPONSIBILITY (ZOR)	
2.X.4.3.3.7.1	G	*	F	*	AZ	ZI		**	**	X	ZONE OF RESPONSIBILITY (ZOR), IRREGULAR	
2.X.4.3.3.7.2	G	*	-	*	AZ	ZR		**	**	X	ZONE OF RESPONSIBILITY (ZOR), RECTANGULAR	
2.X.4.3.3.7.3 2.X.4.3.3.8	G	*	F	*	AZ AZ	ZC B-	-	**	**	X	ZONE OF RESPONSIBILITY (ZOR), CIRCULAR TARGET BUILD-UP AREA (TBA)	
2.X.4.3.3.8.1	G	*	F	*	AZ	BI		**	**	X	TARGET BUILD-UP AREA (TBA), IRREGULAR	
2.X.4.3.3.8.2	G	*	F	*	AZ	BR		**	**	X	TARGET BUILD-UP AREA (TBA), IRREGULAR TARGET BUILD-UP AREA (TBA), RECTANGULAR	
2.X.4.3.3.8.3 2.X.4.3.3.8.3	G	*	F	*	AZ	BC	 	**	**	X	TARGET BUILD-UP AREA (TBA), CIRCULAR	
2.X.4.3.3.9	G	*	F	*	AZ	V-	-	**	**	X	TARGET VALUE AREA (TVAR)	
2.X.4.3.3.9.1	G	*	F	*	AZ	VI		**	**	X	TARGET VALUE AREA (TVAR), IRREGULAR	
2.X.4.3.3.9.2	G	*	F	*	AZ	VR		**	**	X	TARGET VALUE AREA (TVAR), RECTANGULAR	
2.X.4.3.3.9.3	G	*	F	*	AZ	VC		**	**	X	TARGET VALUE AREA (TVAR), REGTARGULAR	
2.X.4.3.4	G	*	F	*	AX			**	**	X	WEAPON/RADAR RANGE FAN	
2.X.4.3.4.1	G	*	F	*	AX	C-		**	**	X	WEAPON/RADAR RANGE FAN, CIRCULAR	
2.X.4.3.4.2	G	*	F	*	AX	S-		**	**	X	WEAPON/RADAR RANGE FAN, SECTOR	
		1	<u> </u>					L	·	, ,,		

3. Modify and amend Table B-IV as needed to agree with Figure B-17.1, B-17.2 and Table B-III as shown above.

DESCRIPTION	STATIC/ DYNAMIC	HIERARCHY SYM-ID	TACTICAL GRAPHIC
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES TARGET BUILD-UP AREA (TBA)	N/A	2.X.4.3.3.8	
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES TARGET BUILD-UP AREA (TBA) IRREGULAR Parameters 1. Anchor points. This graphic requires a minimum of three anchor points to define the boundary of the area. Add as many points as necessary to accurately reflect the area's size and shape. 2. Size/Shape. Determined by the anchor points. The information fields should be moveable and scaleable within the area. 3. Orientation. Not applicable.	D	2.X.4.3.3.8.1 G*FPAZBI ****X Example	TBA TANK
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES TARGET BUILD-UP AREA (TBA) RECTANGULAR Parameters 1. Anchor Points. This graphic requires two anchor points and a width, defined in meters, to define the boundary of the area. Points 1 and 2 will be located in the center of two opposing sides of the rectangle.	D	2.X.4.3.3.8.2 G*FPAZBR ****X	W TBA WOTH (m)
 Size/Shape. Size: As determined by the anchor points. The anchor points determine the length of the rectangle. The width, defined in meters, will determine the width of the rectangle. Shape: Rectangle. The information fields should be moveable and scaleable. Orientation. As determined by the anchor points. 		Lample	TBA TANK

DESCRIPTION	STATIC/ DYNAMIC	HIERARCHY SYM-ID	TACTICAL GRAPHIC
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES TARGET BUILD-UP AREA (TBA) CIRCULAR Parameters 1. Anchor Points. This graphic requires one (1) anchor point and a radius. Point 1 defines the center point of the graphic. 2. Size/Shape. Size: The radius, defined in meters, defines the size. Shape: Circle. The information fields should be scaleable within the circle. 3. Orientation. Not applicable.	D	2.X.4.3.3.8.3 G*FPAZBC ****X Example	TBA TBA TANK